Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	140	157	**297**
Underweight (< 5th percentile)	0%	3%	**1%**
Normal BMI (5th - 85th percentile)	42%	56%	**49%**
Overweight or obese (≥ 85th percentile)*	58%	41%	**49%**
Obese (≥ 95th %ile)	*39%*	*23%*	***31%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity - Spring 2019 - Ojo Amarillo Elementary School



Prevalence of Overweight and Obesity, by Sex



Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	22	20	**42**
Underweight (< 5th percentile)	0%	0%	**0%**
Normal BMI (5th - 85th percentile)	50%	55%	**52%**
Overweight or obese (≥ 85th percentile)*	50%	45%	**48%**
Obese (≥ 95th %ile)	*23%*	*15%*	***19%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.





Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	21	23	**44**
Underweight (< 5th percentile)	0%	0%	**0%**
Normal BMI (5th - 85th percentile)	48%	52%	**50%**
Overweight or obese (≥ 85th percentile)*	52%	48%	**50%**
Obese (≥ 95th %ile)	*33%*	*26%*	***30%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.





Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	14	27	**41**
Underweight (< 5th percentile)	0%	4%	**2%**
Normal BMI (5th - 85th percentile)	50%	67%	**61%**
Overweight or obese (≥ 85th percentile)*	50%	30%	**37%**
Obese (≥ 95th %ile)	*29%*	*19%*	***22%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.





Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	22	23	**45**
Underweight (< 5th percentile)	0%	0%	**0%**
Normal BMI (5th - 85th percentile)	36%	65%	**51%**
Overweight or obese (≥ 85th percentile)*	64%	35%	**49%**
Obese (≥ 95th %ile)	*55%*	*26%*	***40%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.





Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	23	21	**44**
Underweight (< 5th percentile)	0%	5%	**2%**
Normal BMI (5th - 85th percentile)	39%	52%	**45%**
Overweight or obese (≥ 85th percentile)*	61%	43%	**52%**
Obese (≥ 95th %ile)	*43%*	*19%*	***32%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.





Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	15	28	**43**
Underweight (< 5th percentile)	0%	4%	**2%**
Normal BMI (5th - 85th percentile)	27%	46%	**40%**
Overweight or obese (≥ 85th percentile)*	73%	50%	**58%**
Obese (≥ 95th %ile)	*53%*	*29%*	***37%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.





Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	24	15	**39**
Underweight (< 5th percentile)	0%	7%	**3%**
Normal BMI (5th - 85th percentile)	42%	53%	**46%**
Overweight or obese (≥ 85th percentile)*	58%	40%	**51%**
Obese (≥ 95th %ile)	*42%*	*27%*	***36%***

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.